

500-710^{Q&As}

Cisco Video Infrastructure Implementation

Pass Cisco 500-710 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/500-710.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers



QUESTION 1

If a user of a SIP endpoint registered to an Expressway configured with only the cisco.com domain physically dials "6501", which alias is presented in the SIP INVITE message?

- A. 6501@
- B. 6501@
- C. 6501@cisco.com
- D. 6501

Correct Answer: A

QUESTION 2

Which option governs the order in which the search rules query the local zone versus neighbored Expressways?

- A. priority number
- B. call processing order
- C. call policy
- D. target zone

Correct Answer: D

QUESTION 3

Where must TURN servers be configured in a resilient and scalable Cisco Meeting Servers solution?

- A. CMS core only
- B. CMS core, CMS edge, and Cisco Unified Communications Manager
- C. CMS edge only
- D. CMS core and CMS edge

Correct Answer: C

QUESTION 4

What is the maximum network latency allowed between peers in a cluster?

- A. 30 ms total

- B. 300 ms total
- C. 100 ms one way
- D. 150 ms one-way

Correct Answer: A

QUESTION 5

Which port does the Cisco Meeting Server use for SIP signaling from the call bridge to the H.323 gateway?

- A. 4999
- B. 5222
- C. 5060
- D. 6061

Correct Answer: D

QUESTION 6

As engineer notices that TMS Conference Control Center is not displaying the interface on a scheduler's computer, but it operates properly on the administrator's computer. Which cause is the most likely?

- A. Java must be properly updated and configured on the scheduler's computer.
- B. NET or IS is not set upon the scheduler's computer.
- C. The server domain of the scheduler's computer must be properly configured.
- D. The network has a port blockage.

Correct Answer: A

QUESTION 7

An engineer wants to schedule endpoints that are registered to the Cisco UCM to conferences using TMS. Which action is required before endpoints can be scheduled?

- A. The Cisco UCM must have a SIP trunk directed at TMS.
- B. Only endpoints registered to VCS or Expressway can be scheduled in conferences by TMS.
- C. The Cisco UCM must first be added to a folder in TMS Systems > Navigator.
- D. The MAC address of the endpoint must be entered in the System > Manage Dial Plan menu.

Correct Answer: C

QUESTION 8

Which statement about the deployment of Cisco Conductor with Cisco Telepresence Server for Rendezvous Conferences is true?

- A. Conductor must be added to the TMS database.
- B. A SIP trunk must be established between Conductor and the TelePresence Server.
- C. A neighbor zone and search rules must be built between the Expressway and the Conductor.
- D. A neighbor zone and search rules must be built between the Expressway and TelePresence Server.

Correct Answer: C

QUESTION 9

When you write a new app in Tropo, in which format must the app scripts be saved?

- A. .xml
- B. .wav
- C. .mp4
- D. Js
- E. .json

Correct Answer: D

QUESTION 10

Cisco Meeting Server has several components that can be enabled to expand the functionality of the server. Which component is used for interworking between different communication protocols?

- A. web bridge
- B. load balancer
- C. TURN server
- D. H.323 gateway
- E. SIP edge
- F. call bridge
- G. XMPP

Correct Answer: D

QUESTION 11

Which two options are requirements to use OAuth access tokens with Cisco Spark? (Choose two.)

- A. Tokens must request access to servers before applications register to Cisco Spark.
- B. Servers must register to Cisco Spark as an application to request access tokens.
- C. Applications can only request the access token when the authenticated user grants permissions to this service
- D. Applications must register to Cisco Spark as a server to request access tokens.
- E. Services can request the access token only when the authenticated user grants permissions to this service.

Correct Answer: BC

QUESTION 12

Which troubleshooting tool does an engineer use to determine whether a cat! is being subjected to traversal bandwidth restrictions?

- A. registration log
- B. calls log
- C. search history log
- D. event log

Correct Answer: D

QUESTION 13

Which two ports are used for SIP communications between an endpoint and the SIP server? (Choose two.)

- A. 1719 (TCP) B. 5061 (TLS)
- B. 1721 (TLS)
- C. 5060 (TCP)
- D. 1720 (TCP)

Correct Answer: BD

QUESTION 14

Which two methods are used by the Expressway for bandwidth control? (Choose two)

- A. subzones
- B. URL
- C. regions
- D. zones
- E. pipes

Correct Answer: AE

QUESTION 15

Which group of items must be configured when adding a Cisco Meeting Server to TMS before the server can be used in scheduled conferences?

- A. DNS address, numeric ID base, numeric ID quantity
- B. domain, numeric ID base, conference ID range
- C. MAC address, numeric ID base, numeric ID quantity
- D. domain, numeric ID base, numeric ID quantity

Correct Answer: D

[Latest 500-710 Dumps](#)

[500-710 Practice Test](#)

[500-710 Study Guide](#)